

PARTS MANUAL

Reachforks®

Single Range - 20B, 25B, 30B, 35B TFT

Double Range - 25B, 35B, 45B, 58B TFQ

Extension Range - 20B, 30B TFE

Manual Number 6925940-R4




KOOI

Contents

20B, 25B, 30B, 35B TFT – Single Range (2.2 in. Thick Fork)	1
30B TFT – Single Range (2.4 in. Thick Fork)	2
25B, 35B, 45B, 58B TFQ – Double Range	3
20B, 30B TFE – Extension Range	4

Replacement Parts

20B, 30B, 35B TFT – Single Range (2.2 in. Thick Fork)




REF	QTY	20B, 25B, 30B◆ PART NO.	35B PART NO.	DESCRIPTION
1	–	6927855	6927855	Cylinder Head Spanner ●
2	4	6922505	6922505	Straight Male Coupling, 12L
3	1	6922494	6922494	Piston, 30 mm dia., Left Fork
	1	6922496	6922496	Piston, 35 mm dia., Right Fork
4	2	■	■	Inner Fork
5	4	6927866	6927866	Wear Strip PA6
6	2	■	■	Piston Rod, 18 mm dia.
7	1	6922500	6922500	Cylinder Head, 30 mm dia., Left Fork
	1	6922430	6922430	Cylinder Head, 35 mm dia., Right Fork
8	2	■	■	Sleeve
9	2	6927868	–	Spring Pin, 55 mm
	2	–	6927861	Spring Pin, 65 mm

- ◆ Fork Lengths / Stroke: 1100 mm / 750 mm, 1200 mm / 850 mm, 1350 mm / 1000 mm.
- Not included with Reachforks®.
- Part number is model dependent. Provide serial number when ordering.

Replacement Parts

30B TFT – Single Range (2.4 in. Thick Fork)



REF	QTY	30B▲ PART NO.	DESCRIPTION
1	-	6927855	Cylinder Head Spanner ●
2	4	6922505	Straight Male Coupling, 12L
3	1	6922473	Piston, 35 mm dia., Left Fork
	1	6922474	Piston, 40 mm dia., Right Fork
4	2	■	Inner Fork
5	4	6927866	Wear Strip PA6
6	2	■	Piston Rod, 20 mm dia.
7	1	6922478	Cylinder Head, 30 mm dia., Left Fork
	1	6922479	Cylinder Head, 35 mm dia., Right Fork
8	2	■	Sleeve
9	2	6927868	Spring Pin, 65 mm


▲ Fork Lengths / Stroke: 1050 mm / 800 mm, 1150 mm / 900 mm, 1300 mm / 1050 mm.

● Not included with Reachforks®.

■ Part number is model dependent. Provide serial number when ordering.

Replacement Parts

25B, 35B, 45B, 58B TFQ – Double Range




REF	QTY	25B, 35B PART NO.	45B PART NO.	58B PART NO.	DESCRIPTION
1	–	6927855	6927855	6927855	Cylinder Head Spanner ●
2	4	6922505	6922505	6922505	Straight Male Coupling, 12L
3	1	6922494	6922494	6922494	Piston, 30 mm dia., Left Fork
	1	6922495	6922495	6922495	Piston, 30 mm dia., Left Fork
	1	6922446	6922446	6922446	Piston, 35 mm dia., Right Fork
	1	6922497	6922497	6922497	Piston, 35 mm dia., Right Fork
4	2	■	■	■	Inner Fork
5	4	6927866	–	–	Wear Strip PA6
	4	–	6927867	6927867	Wear Strip AMPCO
6	4	■	■	■	Piston Rod, 18 mm dia.
7	2	6922500	6922500	6922500	Cylinder Head, 30 mm dia., Left Fork
	2	6922501	6922501	6922501	Cylinder Head, 35 mm dia., Right Fork
8	2	■	■	■	Sleeve
9	4	6927868	6927868	–	Spring Pin, 55 mm
	4	–	–	6927861	Spring Pin, 65 mm

● Not included with Reachforks®.

■ Part number is model dependent. Provide serial number when ordering.

Replacement Parts

20B, 30B TFE – Extension Range



REF	QTY	20B, 30B PART NO.	DESCRIPTION
1	-	6927855	Cylinder Head Spanner ●
2	4	6922505	Straight Male Coupling, 12L
3	1	6922492	Piston, 30 mm dia., Left Fork
	1	6922496	Piston, 35 mm dia., Right Fork
4	2	■	Inner Fork
5	4	6927866	Wear Strip PA6
6	2	■	Piston Rod, 18 mm dia.
7	1	6922500	Cylinder Head, 30 mm dia., Left Fork
	1	6922501	Cylinder Head, 35 mm dia., Right Fork
8	2	■	Sleeve
9	2	6927868	Spring Pin, 55 mm
	2	6927861	Spring Pin, 65 mm
10	2	■	Wear Plate

● Not included with Reachforks®.

■ Part number is model dependent. Provide serial number when ordering.

Do you have questions you need answered right now? Call your nearest Cascade-KOOI Parts Department. Visit us online at www.cascorp.com

AMERICAS

Cascade-KOOI U.S. Headquarters

2201 NE 201st
Fairview, OR 97024-9718
Tel: 800-CASCADE (227-2233)
Fax: 888-329-8207

Cascade-KOOI Canada Inc.

5570 Timberlea Blvd.
Mississauga, Ontario
Canada L4W-4M6
Tel: 905-629-7777
Fax: 905-629-7785



KOOI